

References

- Armstrong, R.A., C. Lee, J.I. Hedges, S. Honjo, and S.G. Wakeham (2002): Remineralization of organic carbon in the deep ocean: a mechanistic model of transport and protection by inorganic materials. *Deep-Sea Res. II*, 49(1–3), 219–236.
- Bainbridge, A.E. (1981): *GEOSECS Atlantic Expedition Vol. 1, Hydrographic Data 1972–1973*. U.S. Government Printing Office, Washington D.C., 121 pp.
- Barber, R.T., M.P. Sanderson, S.T. Lisdley, F. Chai, J. Newton, C.C. Trees, D.G. Foley, and F.P. Chavez (1996): Primary productivity and its regulation in the equatorial Pacific during and following the 1991–1992 El Niño. *Deep-Sea Res. II*, 43, 933–969.
- Bates, N.R. (2001): Interannual variability of oceanic CO₂ and biogeochemical properties in the western North Atlantic Subtropical Gyre. *Deep-Sea Res. II*, 48, 1507–1528.
- Bates, N.R., A.H. Knap, and A.F. Michaels (1996): Seasonal and interannual variability of the ocean carbon dioxide system at the U.S. JGOFS Bermuda Atlantic Times-series Site. *Deep-Sea Res. II*, 43, 247–383.
- Bates N.R., A.H. Knap, and A.F. Michaels (1998a): The effect of hurricanes on the local and global estimates of air-sea exchange of CO₂. *Nature*, 395, 58–61.
- Bates, N.R., T. Takahashi, D.W. Chipman, and A.H. Knapp (1998b): Variability of pCO₂ on diel to seasonal time scales in the Sargasso Sea. *J. Geophys. Res.*, 103, 15,567–15,585.
- Bender, M.L. (1990): D18O of dissolved O₂ in seawater: a unique tracer of circulation and respiration in the deep sea. *J. Geophys. Res.*, 95, 22,243–22,252.
- Blackmon, M., B. Boville, F. Bryan, R. Dickinson, P. Gent, K. Kiehl, R. Moritz, D. Randall, J. Shukla, S. Solomon, G. Bonan, S. Doney, I. Fung, J. Hack, E. Hunke, J. Hurrell, J. Kutzbach, J. Meehl, B. Otto-Bliesner, R. Saravanan, E.K. Schneider, L. Sloan, M. Spall, K. Taylor, J. Tribbia, and W. Washington (2001): The Community Climate System Model. *Bull. Am. Meteorol. Soc.*, submitted.
- Bock, E.J., T. Hara, N.M. Frew, and W.R. McGillis (1999): Relationship between air-sea gas transfer and short wind waves. *J. Geophys. Res.*, 104, 25,821–25,831.
- Bopp, L., P. Monfray, O. Aumont, J.-L. Dufresne, H. Le Treut, L. Terray, and J.C. Orr (2001): Potential impact of climate change on marine export production. *Global Biogeochem. Cycles*, 15(1), 81–99.
- Bosquet, P., P. Peylin, P. Ciais, C. LeQuere, P. Friedlingstein, and P.P. Tans (2000): Regional changes in carbon dioxide fluxes of land and oceans since 1980. *Science*, 290, 1242–1346.
- Brewer, P.G. (1978): Direct observation of the oceanic CO₂ increase. *Geophys. Res. Lett.*, 5, 997–1000.
- Brewer, P.G., C. Goyet, and D. Dyressen (1979): Carbon dioxide transport by ocean currents at 25°N latitude in the Atlantic Ocean. *Science*, 246, 477–479.
- Broecker, W.S., J.R. Ledwell, T. Takahashi, R. Weiss, L. Merlivat, L. Memery, T.-H. Peng, B. Jahne, and K.O. Munnich (1986): Isotopic versus micrometeorologic ocean CO₂ fluxes: A serious conflict. *J. Geophys. Res.*, 91, 10,517–10,527.
- Broecker, W.S., D. Spencer, and H. Craig (1982): *GEOSECS Pacific Expedition Vol. 3, Hydrographic Data 1973–1974*. U.S. Government Printing Office, Washington D.C., 137 pp.
- Byrne, R.H., E. Kaltenbacher, E.T. Steimle, and X. Liu, Design of autonomous in-situ spectrophotometric systems for measurement of nutrients and CO₂-system parameters. *Proceedings of the International Workshop on Autonomous Measurements of Biogeochemical Parameters in the Ocean*, February 20–22, Honolulu, HI, in press.
- Carlson, C.A., and H.W. Ducklow (1995): Dissolved organic carbon in the upper

- ocean of the central equatorial Pacific Ocean, 1992: Daily and finescale vertical variations. *Deep-Sea Res. II*, *42*, 639–656.
- Chavez, F.P., P.G. Strutton, G.E. Friederich, R.A. Feely, G.C. Feldman, D.G. Foley, and M.J. McPhaden (1999): Biological and chemical response of the equatorial Pacific Ocean to the 1997–98 El Niño. *Science*, *286*, 2126–2131.
- Chen, C.-T., and F.J. Millero (1979): Gradual increase of oceanic CO₂. *Nature*, *277*, 205–206.
- Caias, P., P.P. Tans, M. Trolier, J.W.C. White, and R.J. Francey (1995): A large Northern Hemisphere terrestrial CO₂ sink indicated by the ¹³C/¹²C ratio of atmospheric CO₂. *Science*, *269*, 1098–1102.
- Coatanoan, C., C. Goyet, N. Gruber, C.L. Sabine, and M. Warner (2001): Comparison of two approaches to quantify anthropogenic CO₂ in the ocean: Results from the northern Indian Ocean. *Global Biogeochem. Cycles*, *15*(1), 11–26.
- Cox P.M., R.A. Betts, C.D. Jones, S.A. Spall, and I.J. Totterdell (2000): Acceleration of global warming due to carbon-cycle feedbacks in a coupled climate model. *Nature*, *408*, 184–187.
- Dacey, J.W.H., J.B. Edson, P.H. Holland, and W.R. McGillis (1999): In situ estimation of air-sea gas transfer using DMS. *13th Symposium on Boundary Layer and Turbulence*, January 10–15, 1999, Dallas, TX, AMS, Boston, MA, 425–426.
- Dargaville, R.J., R.M. Law, and F. Pribac (2000): Implications of interannual variability in atmospheric circulation on modeled CO₂ concentrations and source estimates. *Global Biogeochem. Cycles*, *14*, 931–943.
- Davis, R.E., W.S. Kessler, R. Lukas, R.A. Weller, D.W. Behringer, D.R. Cayan, D.B. Chelton, C. Eriksen, S. Esbensen, R.A. Fine, I. Fukumori, M.C. Gregg, E. Harrison, G.C. Johnson, T. Lee, N.J. Mantua, J.P. McCreary, M.J. McPhaden, J.C. McWilliams, A.J. Miller, H. Mitsudera, P.P. Niiler, B. Qiu, D. Raymond, D. Roemmich, D.L. Rudnick, N. Schneider, P.S. Schopf, D. Stammer, L. Thompson, and W.B. White (2000): Implementing the Pacific Basin Extended Climate Study (PBECS). U.S. CLIVAR Report, 109 pp. Available from the U.S. CLIVAR Project Office.
- DeGrandpre, M.D., T.R. Hammer, S.P. Smith, and F.I. Sayles (1995): In situ measurements of seawater pCO₂. *Limnol. Oceanogr.*, *40*, 969–975.
- Deser, C., M.A. Alexander, and M.S. Timlin (1996): Upper-ocean thermal variations in the North Pacific during 1970–1991. *J. Clim.*, *9*, 1840–1855.
- Dickey, T. (1991): The emergence of concurrent high-resolution physical and bio-optical measurements in the upper ocean and their applications. *Rev. Geophys.*, *29*, 383–413.
- Dickey, T. (2001): The role of new technology in advancing ocean biogeochemical research. *Oceanography*, *14*(4), 108–120.
- Dickey, T., and P. Falkowski, Solar energy and its biological-physical interactions in the sea. Chapter 9 in *The Sea*, Vol. 12, A. Robinson *et al.* (eds.), in press.
- Doney, S.C. (1999): Major challenges confronting marine biogeochemical modeling. *Global Biogeochem. Cycles*, *13*, 705–714.
- Doney, S.C., S. Yeager, G. Danabasoglu, W.G. Large, and J.C. McWilliams, Modeling oceanic interannual variability (1958–1997): Simulation design and model—data evaluation, submitted.
- Dutay, J.-C., *et al.*, Evaluation of ocean model ventilation with CFC-11: Comparison of 13 global ocean models. *Ocean Modelling*, in press.
- Emerson, S., P.D. Quay, C. Stump, D. Wilbur, and R. Schudlich (1995): Chemical tracers of productivity and respiration in the subtropical Pacific Ocean. *J. Geophys. Res.*, *100*, 15,873–15,887.
- Emerson, S., S. Mecking, and J. Abell (2001): The biological pump in the subtropical North Pacific Ocean: Nutrient sources, Redfield ratios and recent changes. *Global Biogeochem. Cycles*, *15*(3), 535–554.

- Esbensen, S.K., and Y. Kushnir (1981): The heat budget of the global ocean: An atlas based on estimates from surface marine observations. Oregon State University, Corvalis, OR.
- Fairall, C.W., J.E. Hare, J.B. Edson, and W.R. McGillis (2000): Parameterization and micrometeorological measurements of air-sea gas transfer. *Bound.-Layer Meteorol.*, *96*, 63–105.
- Fan, S., M. Gloor, S. Pacala, J. Sarmiento, and P. Tans (1998): A large terrestrial carbon sink in North America implied by atmospheric and oceanic carbon dioxide data and models. *Science*, *282*, 442–446.
- Fasham, M.J.R., and G.T. Evans (1995): The use of optimisation techniques to model marine ecosystem dynamics at the JGOFS station at 47°N and 20°W. *Philos. Trans. R. Soc. Lond.*, *B348*, 206–209.
- Feely, R.A., C.L. Sabine, R.M. Key, T.-H. Peng, and R. Wanninkhof (1999): The U.S. global CO₂ survey in the North and South Pacific Oceans: Preliminary synthesis results. In *2nd International Symposium, CO₂ in the Oceans*, extended abstracts, pp. 20–26, Center Global Env. Res., Tsukuba, Japan.
- Feely, R.A., J. Boutin, C.E. Cosca, Y. Dandonneau, J. Etcheto, H.Y. Inoue, M. Ishii, C. Le Quere, D. Mackey, M. McPhaden, N. Metzl, A. Poisson, and R. Wanninkhof. Seasonal and interannual variability of CO₂ in the equatorial Pacific. *Deep-Sea Res. II*, in press.
- Feely, R.A., C.L. Sabine, T. Takahashi, and R. Wanninkhof (2001): Uptake and storage of carbon dioxide in the oceans: The global CO₂ survey. *Oceanography*, *14*(4), 18–32.
- Fennel, K., M. Losch, J. Schroter, and M. Wenzel (2001): Testing a marine ecosystem model: Sensitivity analysis and parameter optimization. *J. Mar. Syst.*, *28*, 45–63.
- Francey, R.J., P.P. Tans, C.E. Allison, I.G. Enting, J.W.C. White, and M. Trolier (1995): Changes in the oceanic and terrestrial carbon uptake since 1982. *Nature*, *373*, 326–330.
- Frew, N.M., D.M. Glover, E.J. Bock, C. Goyet, S.J. McCue, and R.J. Healy (1999): Estimation of global air-sea transfer of CO₂ using TOPEX/Poseidon dual-frequency backscatter. *IUGG Abstracts*, Birmingham, UK.
- Friederich, G.E., P.G. Brewer, R. Herline, and F.P. Chavez (1995): Measurements of sea surface partial pressure of CO₂ from a moored buoy. *Deep-Sea Res. I*, *42*, 1175–1186.
- Fung, I.Y., S.K. Meyn, I. Tegen, S.C. Doney, J. John, and J. Bishop (2000): Iron supply and demand in the upper ocean. *Global Biogeochem. Cycles*, *14*(1), 281–295.
- Garcon, V.C., A. Oschlies, S.C. Doney, D. McGillicuddy, and J. Waniek (2001): The role of mesoscale variability on plankton dynamics in the North Atlantic. *Deep-Sea Res. I*, *48*, 2199–2226.
- Giering, R., and T. Kaminski (2001): Recipes for adjoint code construction. *Trans. Math. Software*, *24*, 437–474.
- Gloor, M., S.M. Fan, S. Pacala, and J. Sarmiento (2000): Optimal sampling of the atmosphere for purpose of inverse modeling: A model study. *Global Biogeochem. Cycles*, *14*, 407–428.
- Gloor, M., N. Gruber, J.L. Sarmiento, R.A. Feely, C.L. Sabine, and C. Roedenbeck, Reconstructing preindustrial and contemporary air-sea CO₂ fluxes by an inversion of ocean interior carbon data. *Science*, submitted.
- Gould, W.J., and J.M. Toole (1999): Investigating ocean climate variability: the need for systematic hydrographic observations within CLIVAR/GOOS. In *Oceanobs 99: the International Conference on the Ocean Observing System for Climate*, Saint-Raphael, France, Session 3B.
- Goyet, C., C. Coatanoan, G. Eischiold, T. Amaoka, K. Okunda, R. Healy, and S.

- Tsunogai (1999): Spatial variation of total CO₂ and total alkalinity in the northern Indian Ocean: A novel approach for the quantification of anthropogenic CO₂ in seawater. *J. Mar. Res.*, 57.
- Goyet, C., D. Davis, E.T. Pelzter, and P.G. Brewer (1995): Development of improved space sampling strategies for ocean chemical properties: total carbon dioxide and dissolved nitrate. *Geophys. Res. Lett.*, 22, 945–948.
- Goyet C., D.M. Walt, and P.G. Brewer (1992): Development of a fiber optic sensor for measurement of pCO₂ in sea water: design criteria and sea trials. *Deep-Sea Res. I*, 39, 1015–1026.
- Gruber, N. (1998): Anthropogenic CO₂ in the Atlantic Ocean. *Global Biogeochem. Cycles*, 12, 165–191.
- Gruber, N., and C.D. Keeling (2001): An improved estimate of the isotopic air-sea disequilibrium of CO₂: Implications for the oceanic uptake of anthropogenic CO₂. *Geophys. Res. Lett.*, 28(3), 555–558.
- Gruber, N., C.D. Keeling, and T.F. Stocker (1998): Carbon-13 constraints on the seasonal inorganic carbon budget at the BATS site in the northwestern Sargasso Sea. *Deep-Sea Res. I*, 45, 673–717.
- Gruber, N., J.L. Sarmiento, and T.F. Stocker (1996): An improved method for detecting anthropogenic CO₂ in the oceans. *Global Biogeochem. Cycles*, 10(4), 809–837.
- Gruber, N., J. Bullister, J.-C. Dutay, J.C. Orr, C. Sabine, and R. Slater, What the CFC's can tell us about the ocean uptake of anthropogenic CO₂. *J. Geophys. Res.*, in preparation.
- Gruber, N., M. Gloor, S.-M. Fan, and J.L. Sarmiento, Air-sea flux of oxygen estimated from bulk data: Implications for the marine and atmospheric oxygen cycle. *Global Biogeochem. Cycles*, in press.
- Gu, D., and S.G.H. Philander (1996): Interdecadal climate fluctuations that depend on exchanges between the tropics and extratropics. *Science*, 275, 805–807.
- Hansell, D.A., and C.A. Carlson (1998): Deep-ocean gradients in the concentration of dissolved organic carbon. *Nature*, 395, 263–266.
- Heimann, M., and E. Maier-Reimer (1996): On the relations between the oceanic uptake of CO₂ and its carbon isotopes. *Global Biogeochem. Cycles*, 10(1), 89–110.
- Holfort, J., K.M. Johnson, B. Schneide, G. Siedler, and D.W.R. Wallace (1998): Meridional transport of dissolved inorganic carbon in the South Atlantic Ocean. *Global Biogeochem. Cycles*, 12, 479–499.
- Houghton, J.T., G.J. Jenkins, and J.J. Ephraums, eds. (1998): *Climate Change: The IPCC Scientific Assessment*. Cambridge University Press, Cambridge, UK, 365 pp.
- Hurtt, G.C., and R.A. Armstrong (1996): A pelagic ecosystem model calibrated with BATS data. *Deep-Sea Res. II*, 43, 653–683.
- Ishizaka, J. (1990): Coupling of Coastal Zone Color Scanner data to a physical-biological model of the Southeastern U.S. continental shelf ecosystem, 3, nutrient and phytoplankton fluxes and CZCS data assimilation. *J. Geophys. Res.*, 95, 20,201–20,212.
- Joyce, T.M., and P. Robbins (1996): The long-term hydrographic record at Bermuda. *J. Climatol.*, 9, 3121–3131.
- Kaminski, T., M. Heimann, and R. Giering (1999): A coarse grid three-dimensional global inverse model of the atmospheric transport, 2: Inversion of the transport of CO₂ in the 1980's. *J. Geophys. Res.*, 104, 18,555–18,581.
- Karl, D.M. (1999): A sea of change: Biogeochemical variability in the North Pacific Subtropical Gyre. *Ecosystems*, 2, 181–214.
- Karl, D.M., R. Bidigare, and R.M. Letelier (2001): Long-term changes in plankton

- community structure and productivity in the North Pacific Subtropical Gyre: The domain shift hypothesis. *Deep-Sea Res. II*, 48, 1449–1470.
- Karl, D.M., and R. Lukas (1996): The Hawaii Ocean Time series (HOT) program: Background, rationale, and field implementation. *Deep-Sea Res. II*, 43, 129–156.
- Keeling, C.D. (1968): Carbon dioxide in surface waters, 4: Global distribution. *J. Geophys. Res.*, 73, 4529–4542.
- Keeling, C.D., T.P. Whorf, M. Wahlen, and J. Vanderplicht (1995): Interannual extremes in the rate of rise of atmospheric carbon dioxide since 1980. *Nature*, 375, 666–670.
- Keeling, R.F., and S.R. Shertz (1992): Seasonal and interannual variations in atmospheric oxygen and implications for the global carbon cycle. *Nature*, 358, 723–727.
- Keeling, R.F., B.B. Stephens, R.G. Najjar, S.C. Doney, D. Archer, M. Heimann (1998): Seasonal variations in the atmospheric O₂/N₂ ratio in relation to the kinetics of air-sea gas exchange. *Global Biogeochem. Cycles*, 12, 141–163.
- Keller, K., R.D. Slater, M. Bender, and R.M. Key, Decadal scale trends in North Pacific nutrient and oxygen concentrations: Biological or physical explanation. *Global Biogeochem. Cycles*, in press.
- Kirchman, D.L., C. Lancelot, M.J.R. Fasham, L. Legendre, G. Radach, and M. Scott (1993): Dissolved organic matter in biogeochemical models of the ocean. In *Towards a Model of Ocean Biogeochemical Processes*, G.T. Evans and M.J.R. Fasham (eds.), Springer-Verlag, New York, 209–226.
- Lapitan, R.L., R. Wanninkhof, and A.R. Mosier (1999): Methods for stable gas flux determination in aquatic and terrestrial systems. In *Scaling of Trace Gas Fluxes between Terrestrial and Aquatic Ecosystems and the Atmosphere*, A.F. Bouwman (ed.), Elsevier, Amsterdam, 27–66.
- Levitus, S., J.I. Antonov, T.P. Boyer, and C. Stephens (2000): Warming of the world ocean. *Science*, 287, 2225–2229.
- Liss, P.S., and L. Merlivat (1986): Air-sea gas exchange rates: Introduction and synthesis. In *The Role of Air-Sea Exchange in Geochemical Cycling*, P. Buat-Ménard (ed.), Reidel, Boston, 113–129.
- Louanchi, F., and R.G. Najjar (2000): A global monthly climatology of phosphate, nitrate, and silicate in the upper ocean: spring-summer export production and shallow remineralization. *Global Biogeochem. Cycles*, 14, 957–977.
- Louanchi, F., D.P. Ruiz-Pino, C. Jeandel, C. Brunet, B. Schauer, A. Masson, M. Fiala, and A. Poisson (2001): Dissolved inorganic carbon, alkalinity, nutrient and oxygen seasonal and interannual variations at the Antarctic Ocean JGOFS-KERFIX site. *Deep-Sea Res. I*, 48, 1581–1603.
- Luz, B., and E. Barkan (2000): Assessment of oceanic productivity with the triple-isotope composition of dissolved oxygen. *Science*, 288, 2028–2031.
- Mahadevan, A., and D. Archer (2000): Modeling the impact of fronts and mesoscale circulation on the nutrient supply and biogeochemistry of the upper ocean. *J. Geophys. Res.*, 105, 1209–1225.
- Maier-Reimer, E. (1993): Geochemical cycles in an ocean general circulation model—preindustrial tracer distributions. *Global Biogeochem. Cycles*, 7, 645–677.
- Martel F., and C. Wunsch (1993): The North Atlantic circulation in the early 1980's—an estimate from inversion of a finite difference model. *J. Phys. Oceanogr.*, 23, 898–924.
- Matear, R.J. (1995): Parameter optimization and analysis of ecosystem models using simulated annealing: A case study at Station P. *J. Mar. Res.*, 53, 571–607.
- Matear, R.J., and A.C. Hirst (1999): Climate change feedback on the future oceanic CO₂ uptake. *Tellus*, 51B, 722–733.

- Matear, R.J., A.C. Hirst, and B.I. McNeil (2000): Changes in dissolved oxygen in the Southern Ocean with climate change. *Geochem. Geophys. Geosyst.*, 1.
- McGillicuddy, D.J., Jr., and A.R. Robinson (1997): Eddy-induced nutrient supply and new production. *Deep-Sea Res. I*, 44, 1427–1450.
- McGillis, W.R., J.B. Edson, J.E. Hare, and C.W. Fairall (2001a): Direct covariance air-sea CO₂ fluxes. *J. Geophys. Res.*, 106, 16,729–16,746.
- McGillis, W.R., J.B. Edson, J.D. Ware, J.W.H. Dacey, J.E. Hare, C.W. Fairall, and R. Wanninkhof (2001b): Carbon dioxide flux techniques performed during GasEx 98. *Mar. Chem.*, 75, 267–280.
- McNeil, C.L., and L. Merlivat (1996): The warm oceanic surface layer: Implications for CO₂ fluxes and surface gas measurements. *Geophys. Res. Lett.*, 23, 3575–3578.
- McPhaden, M.J. (1999): Genesis and evolution of the 1997–98 El Niño. *Science*, 283, 950–954.
- Moore, J.K., S.C. Doney, J.A. Kleypas, D.M. Glover, and I.Y. Fung (2002): Iron cycling and nutrient limitation patterns in surface waters of the world ocean. *Deep-Sea Res. II*, 49(1–3), 463–508.
- Myneni, R.B., C.D. Keeling, C.J. Tucker, G. Asrar, and R.R. Nemani (1997): Increased plant growth in the northern high latitudes. *Nature*, 386, 698–702.
- Nightingale, P.D., G. Malin, C.S. Law, A.J. Watson, P.S. Liss, M.I. Liddicoat, J. Boutin, and R.C. Upstill-Goddard (2000): In-situ evaluation of air-sea gas exchange parameterizations using novel conservative and volatile tracers. *Global Biogeochem. Cycles*, 14, 373–387.
- Orr, J.C., E. Maier-Reimer, U. Mikolajewicz, P. Monfray, J.L. Sarmiento, J.R. Toggweiler, N.K. Taylor, J. Palmer, N. Gruber, C.L. Sabine, C. Le Quere, R.M. Key, and J. Boutin (2001): Global oceanic uptake of anthropogenic carbon dioxide as predicted by four 3-D ocean models. *Global Biogeochem. Cycles*, 15, 43–60.
- Oschlies, A., and V. Garçon (1998): Eddy-induced enhancement of primary production in a model of the North Atlantic Ocean. *Nature*, 394, 266–269.
- Pahlow, M., and U. Riebesell (2000): Temporal trends in deep ocean Redfield ratios. *Science*, 287, 831–833.
- Peng, T.-H., R. Wanninkhof, J.L. Bullister, R.A. Feely, and T. Takahashi (1998): Quantification of decadal anthropogenic CO₂ uptake in the ocean based on dissolved inorganic carbon measurements. *Nature*, 396, 560–563.
- Quay, P.D., B. Tilbrook, and C.S. Wong (1992): Oceanic uptake of fossil fuel CO₂: ¹³C evidence. *Science*, 256, 74–79.
- Rayner P.J., I.G. Enting, R.J. Francey, and R. Langenfelds (1999): Reconstructing the recent carbon cycle from atmospheric CO₂, delta ¹³C and O₂/N₂ observations. *Tellus*, 51B, 213–232.
- Rayner, P.J., and R.M. Law (1999): The interannual variability of the global carbon cycle. *Tellus*, 51B, 233–248.
- Rinoul, S.R., and J.L. Bullister (1999): A late winter hydrographic section from Tasmania to Antarctica. *Deep-Sea Res. I*, 46, 1417–1454.
- Robertson, J.E., and A.J. Watson (1992): Thermal skin effect of the surface ocean and its implications for CO₂ uptake. *Nature*, 358, 738–740.
- Robinson, A.R. (1996): Physical processes, field estimation and an approach to interdisciplinary ocean modeling. *Earth Sci. Rev.*, 40, 3–54.
- Roemmich, D., and J. McGowan (1995): Climatic warming and the decline of zooplankton in the California current. *Science*, 267, 1324–1326.
- Sabine, C.L., R.M. Key, K.M. Johnson, F.J. Millero, A. Poisson, J.L. Sarmiento, D.W.R. Wallace, and C.D. Winn (1999): Anthropogenic CO₂ inventory of the Indian Ocean. *Global Biogeochem. Cycles*, 13, 179–198.
- Sarmiento, J.L., T.M.C. Hughes, R.J. Stouffer, and S. Manabe (1998): Simulated

- response of the ocean carbon cycle to anthropogenic climate warming. *Nature*, 393, 245–249.
- Sarmiento, J., and S. Wofsy (1999): *A U.S. Carbon Cycle Science Plan*. USGCRP, Washington, D.C., 69 pp.
- Sigman D.M., M.A. Altabet, D.C. McCorkle, R. Francois, and G. Fischer (2000): The delta ¹⁵N of nitrate in the Southern Ocean: Nitrogen cycling and circulation in the ocean interior. *J. Geophys. Res.*, 105, 19,599–19,614.
- Six, K.D., and E. Maier-Reimer (1996): Effects of plankton dynamics on seasonal carbon fluxes in an ocean general circulation model. *Global Biogeochem. Cycles*, 10, 559–583.
- Slansky, C.M., R.A. Feely, and R. Wanninkhof (1997): The stepwise linear regression method for calculating anthropogenic CO₂ invasion into the North Pacific Ocean. In *Biogeochemical Processes in the North Pacific*, S. Tsunogai (ed.), Proceedings of the International Marine Science Symposium on Biogeochemical Processes in the North Pacific, 12–14 November 1996, Mutsu, Japan, Japan Marine Science Foundation, 70–79.
- Smith, R.D., M.E. Maltrud, F.O. Bryan, and M.W. Hecht (2000): Numerical simulation of the North Atlantic at 1/10 deg. *J. Phys. Oceanogr.*, 30, 1532–1561.
- Spitzer, W.S., and W.J. Jenkins (1989): Rates of vertical mixing, gas-exchange and new production estimates from seasonal gas cycles in the upper ocean near Bermuda. *J. Mar. Res.*, 47, 169–196.
- Stammer, D., C. Wunsch, R. Giering, C. Eckert, P. Heimbach, J. Marotzke, A. Adcroft, C.N. Hill, and J. Marshall, The global ocean circulation during 1992–1997 estimated from ocean observations and a general circulation model. *J. Geophys. Res.*, submitted.
- Steinberg, D.K., C.A. Carlson, N.R. Bates, R.J. Johnson, A.F. Michaels, and A.H. Knap (2001): Overview of the U.S. JGOFS Bermuda Atlantic Time-series Study BATS: A decade-scale look at ocean biology and biogeochemistry. *Deep-Sea Res. II*, 48, 1405–1447.
- Strutton, P.G., and F.P. Chavez (2000): Primary productivity in the equatorial Pacific during the 1997–1998 El Niño. *J. Geophys. Res.*, 105, 26,089–26,101.
- Sweeney, C., D.A. Hansell, C.A. Carlson, L.A. Codispoti, L.I. Gordon, J. Marra, F.J. Millero, W.O. Smith, and T. Takahashi (2000): Biogeochemical regimes, net community production and carbon export in the Ross Sea, Antarctica. *Deep-Sea Res. I*, 47, 3369–3394.
- Taft, B., J. Bullister, R.A. Feely, G. Johnson, and R. Wanninkhof (1995): NOAA ocean carbon and tracer program: an integrated approach to decadal ocean climate change studies, mms., 26 pp. plus 14 figs.
- Takahashi, T. (1961): Carbon dioxide in the atmosphere and in Atlantic Ocean water. *J. Geophys. Res.*, 66, 477–494.
- Takahashi, T., R.A. Feely, R.F. Weiss, R.H. Wanninkhof, D.W. Chipman, S.C. Sutherland, and T.T. Takahashi (1997): Global air-sea flux of CO₂, An estimate based on measurements of sea-air pCO₂ difference. *Proc. Natl. Acad. Sci.*, 94, 8929–8299.
- Takahashi, T., J. Olafsson, J.G. Goddard, D.W. Chipman, and S.C. Sutherland (1993): Seasonal variation of CO₂ and nutrients in the high-latitude surface oceans: a comparative study. *Global Biogeochem. Cycles*, 7, 843–878.
- Takahashi, T., R.H. Wanninkhof, R.A. Feely, R.F. Weiss, D.W. Chipman, N. Bates, J. Olafsson, C. Sabine, and S.C. Sutherland (1999): Net sea-air CO₂ flux over the global oceans: An improved estimate based on the sea-air pCO₂ difference. In *Proceedings of the 2nd International Symposium, CO₂ in the Oceans* (ISSN 1341–4356), Yukihiro Nojiri (ed.), Center for Global Environmental Research, National Institute for Environmental Studies, Tsukuba, Japan, 9–14.
- Takahashi, T., S.C. Sutherland, C. Sweeney, A. Poisson, N. Metzl, B. Tilbrook, N.

- Bates, R., Wanninkhof, R.A., Feely, C., Sabine, J., Olafsson, and Y. Nojiri, Global sea-air CO₂ flux based on climatological surface ocean pCO₂, and seasonal biological and temperature effects. *Deep-Sea Res. I*, in press.
- Tans, P.P., J.A. Berry, and R.F. Keeling (1993): Oceanic ¹²C/¹³C observations: a new window on ocean CO₂ uptake. *Global Biogeochem. Cycles*, 7, 353–368.
- Tokar, J.M., and T.D. Dickey (2000): Chemical Sensor Technology—Current and Future Applications. In *Chemical Sensors in Oceanography*, M.S. Varney (ed.), Gordon and Breach Scientific Publishers, Amsterdam, 303–329.
- Van Scoy, K.A., K.P. Morris, J.E. Robertson, and A.J. Watson (1995): Thermal skin-effect and the air-sea flux of carbon dioxide—a seasonal high-resolution estimate. *Global Biogeochem. Cycles*, 9, 253–262.
- Varney, M.S., ed. (2000): *Chemical Sensors in Oceanography*. Gordon and Breach Scientific Publishers, Amsterdam, 333 pp.
- Wallace, D.W.R. (1995): Monitoring global ocean inventories. In *OOSDP Background Rep. 5*, Ocean Observ. Syst. Dev. Panel, Texas A&M University, College Station, Texas, 54 pp.
- Wallace, D.W.R. (2001): Storage and transport of excess CO₂ in the oceans: the JGOFS/WOCE Global CO₂ Survey. In *Ocean Circulation and Climate: Observing and Modeling the Global Ocean*, G. Siedler, J. Gould, and J. Church (eds.), Academic Press, New York.
- Walker, J.P., and P.R. Houser (2001): A methodology for initializing soil moisture in a global climate model: Assimilation of near-surface soil moisture observations. *J. Geophys. Res.*, 106, 11,761–11,774.
- Wanninkhof, R. (1992): Relationship between gas exchange and wind speed over the ocean. *J. Geophys. Res.*, 97, 7373–7381.
- Wanninkhof, R., and L. Bliven (1991): Relationship between gas exchange, wind speed and radar backscatter in a large wind-wave tank. *J. Geophys. Res.*, 96, 2785–2796.
- Wanninkhof, R., S.C. Doney, T.-H. Peng, J. Bullister, K. Lee, and R.A. Feely (1999): Comparison of methods to determine the anthropogenic CO₂ invasion into the Atlantic Ocean. *Tellus*, 51B, 511–530.
- Wanninkhof, R., S.C. Doney, T. Takahashi, and W.R. McGillis (2001): The effect of using time-averaged winds on regional air-sea CO₂ fluxes. In *Gas Transfer at Water Surfaces*, M. Donelan, W. Drennan, E. Saltzman, and R. Wanninkhof (eds.), AGU, Washington, D.C.
- Wanninkhof, R., and W.R. McGillis (1999): A cubic relationship between air-sea CO₂ exchange and windspeed. *Geophys. Res. Lett.*, 26, 1889–1892.
- Watanabe, Y., T. Ono, and A. Shimamoto, Total carbonate increase in the western north Pacific using chemical tracer's age. *Mar. Chem.*, submitted.
- Watson, A.J., R.C. Upstill-Goddard, and P.S. Liss (1991): Air-sea exchange in rough and stormy seas, measured by a dual tracer technique. *Nature*, 349, 145–147.
- Weiss, R.F., W.S. Broecker, H. Craig, and D. Spencer (1983): *GEOSECS Indian Ocean Expedition*, vol. 5, Hydrographic Data 1977–1978. U.S. Government Printing Office, Washington D.C., 48 pp.
- Winn, C.D., F.T. Mackenzie, C.J. Carrillo, C.L. Sabine, and D.M. Karl (1994): Air-sea exchange in the North Pacific subtropical gyre: Implications for the global carbon budget. *Global Biogeochem. Cycles*, 8(2), 157–163.
- Wong, C.S., and Y.-H. Chan (1991): Temporal variations in the partial pressure and flux of CO₂ at ocean station P in the subarctic northeast Pacific Ocean. *Tellus*, 43B, 206–223.
- Wunsch, C. (1996): *The Ocean Circulation Inverse Problem*. Cambridge University Press, Cambridge, UK, 442 pp.
- Zhang, J.R., and P.D. Quay (1997): The total organic carbon export rate based on

- ¹³C and ¹²C of DIC budgets in the equatorial Pacific region. *Deep-Sea Res. I*, 44, 2163–2190.
- Zhang, J.Z., R. Wanninkhof, and K. Lee (2001): Enhanced new production observed from the diurnal cycle of nitrate in an oligotrophic anticyclonic eddy. *Geophys. Res. Lett.*, 28, 1579–1582.